


=> d l17
 L17 HAS NO ANSWERS
 L17 STR



REP G1=(0-7) CH2
 VAR G2=O/S
 VAR G3=9/8/7
 NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RSPEC 5 2
 NUMBER OF NODES IS 14

STEREO ATTRIBUTES: NONE


=> s l17 ful
 FULL SEARCH INITIATED 12:41:06 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 20046 TO ITERATE

100.0% PROCESSED 20046 ITERATIONS
 SEARCH TIME: 00.00.01

0 ANSWERS

L19 0 SEA SSS FUL L17

```
> d l23
L23 HAS NO ANSWERS
L23 STR
```



```
REP G1=(0-7) CH2
VAR G2=O/S
VAR G3=9/8/7
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED
```

```
GRAPH ATTRIBUTES:
RSPEC 5 1
NUMBER OF NODES IS 14
```

```
STEREO ATTRIBUTES: NONE
```

```
=> s l23 ful
FULL SEARCH INITIATED 12:42:43 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 20046 TO ITERATE
```


```
100.0% PROCESSED 20046 ITERATIONS
SEARCH TIME: 00.00.01
```

0 ANSWERS

```
L24 0 SEA SSS FUL L23
```

```
=>
```

=> d 125
 L25 HAS NO ANSWERS
 L25 STR



REP G1=(0-7) CH2
 VAR G2=O/S
 VAR G3=9/8/7
 NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RSPEC 5 3
 NUMBER OF NODES IS 14

STEREO ATTRIBUTES: NONE

=> s 125 ful
 FULL SEARCH INITIATED 12:44:00 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 24727 TO ITERATE

100.0% PROCESSED 24727 ITERATIONS 20 ANSWERS
 SEARCH TIME: 00.00.01

L27 20 SEA SSS FUL.L25

=> fil caplus
 COST IN U.S. DOLLARS
 FULL ESTIMATED COST

SINCE FILE ENTRY	TOTAL SESSION
627.98	628.19

FILE 'CAPLUS' ENTERED AT 12:44:06 ON 26 MAY 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 26 May 2004 VOL 140 ISS 22
 FILE LAST UPDATED: 25 May 2004 (20040525/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 127

L28 1 L27

=> d bib abs

L28 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN

AN 2002:31042 CAPLUS

DN 136:85625

TI 1,1- and 1,2-disubstituted cyclopropanes, process for their preparation and pharmaceutical compositions thereof

IN Goldstein, Solo; Guillonneau, Claude; Charton, Yves; Lockhart, Brian; Lestage, Pierre

PA Les Laboratoires Servier, Fr.

SO Eur. Pat. Appl., 49 pp.


CODEN: EPXXDW

DT Patent

LA French

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 1170281	A1	20020109	EP 2001-401677	20010626
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
	FR 2810664	A1	20011228	FR 2000-8203	20000627
	JP 2002069046	A2	20020308	JP 2001-191541	20010625
	NO 2001003206	A	20011228	NO 2001-3206	20010626
	US 2002022643	A1	20020221	US 2001-888990	20010626
	CN 1330067	A	20020109	CN 2001-121831	20010627
	ZA 2001005300	A	20020111	ZA 2001-5300	20010627
	BR 2001002587	A	20020528	BR 2001-2587	20010627
PRAI	FR 2000-8203	A	20000627		
OS	CASREACT 136:85625; MARPAT 136:85625				
GI					



I

AB Compds. I [Z = (CH₂)_p; p = 0 - 6; n = 0 - 6; R₁, R₂ = H, linear or branched C1-6-alkyl, aryl, linear or branched C1-6-arylalkyl; R₁R₂N = saturated mono- or bicyclic 3 - 10 membered ring with an optional O, S or second N; X = O, S, CH:CH, CH₂, HC:NO, OCH₂CH:CH; Y = aryl, heteroaryl, linear or branched C1-6-arylalkyl, C1-6-heteroarylalkyl, C(:O)A, C(:S)A; A = linear or branched C1-6-alkyl, aryl, heteroaryl, linear or branched C1-6-arylalkyl, NR₃R₄; R₃, R₄ = H, linear or branched C1-6-alkyl, aryl, linear or branched C1-6-arylalkyl; R₃R₄N = saturated mono- or bicyclic 3 - 10 membered ring] their optical isomers and their pharmaceutically acceptable salts are useful for treatment of memory associated diseases. Thus, (±)-cis-2-(dimethylamino)cyclopropyl acetate was prepared from 2-(vinylloxy)tetrahydropyran over 9 steps via a rhodium-catalyzed cyclopropanation. I were tested for nicotinic (K_i = 10 - 100 nM for α₄β₂) and muscarinic (K_i = 10 μM) receptor binding.

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

AN 2001:780887 CAPLUS
 DN 135:331414
 TI Benzo[h][1,6]naphthyridine and azepino[3,2c]quinoline imino-ethers,
 preparation method, and therapeutic use thereof as 5-HT4 receptor
 antagonists
 IN Rault, Sylvain; Hinschberger, Antoine; Dauphin, Francois; Boulouard,
 Michel; Dumuis, Aline
 PA Universite de Caen Basse-Normandie, Fr.
 SO PCT Int. Appl., 31 pp.
 CODEN: PIXXD2
 DT Patent
 LA French
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001079205	A1	20011025	WO 2001-FR1114	20010411
	W: CA, JP, NO, US				
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR				
	FR 2807755	A1	20011019	FR 2000-4811	20000414
	FR 2807755	B1	20020809		
PRAI	FR 2000-4811	A	20000414		
OS	MARPAT 135:331414				
GI					

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The invention concerns benzo[h][1,6]naphthyridine and azepino[3,2]quinoline imino-ethers I, II, and III, and their salts and possible isomers and isomer mixts. [wherein n = 0-1; R, R' = H, halo; R1 = H, Ph optionally substituted by halo, C1-4 alkyl, or C1-4 alkyl; R2 = NR3R4 or heterocyclic group Q; R3, R4 = H, C1-4 alkyl; m, p = 0, 1, 2; (m+p) ≥ 1; R5 = H, C1-8 alkyl, C2-6 alkenyl, Ph or CH2Ph optionally substituted by halo, C1-4 alkyl, or C1-4 alkoxy]. The invention also concerns the therapeutic use of the compds., in particular as 5-HT antagonists, and as antidepressant drugs, or to treating **mnemic** disorders. Eighteen compds. were prepared as fumarate salts. For instance, etherification of 1-butyl-4-(hydroxymethyl)piperidine with 5-chloro-1,2,3,4-tetrahydrobenzo[h][1,6]naphthyridine using NaH in DMF gave 14% title compound IV, isolated as the monofumarate salt. In the forced swimming test in mice, an assay for antidepressant activity, this salt at only 1 mg/kg (i.p.) showed an effect comparable to that of imipramine at 30 mg/kg. In the abdominal constriction test in mice, a bioassay for analgesic activity, the same salt at only 0.1 mg/kg (i.p.) gave analgesic activity comparable to aspirin at 15 mg/kg. Another invention compound showed an antagonist profile at 5-HT4 receptors.

RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

AB The invention concerns benzo[h][1,6]naphthyridine and azepino[3,2]quinoline imino-ethers I, II, and III, and their salts and possible isomers and isomer mixts. [wherein n = 0-1; R, R' = H, halo; R1 = H, Ph optionally substituted by halo, C1-4 alkyl, or C1-4 alkyl; R2 = NR3R4 or heterocyclic group Q; R3, R4 = H, C1-4 alkyl; m, p = 0, 1, 2; (m+p) ≥ 1; R5 = H, C1-8 alkyl, C2-6 alkenyl, Ph or CH2Ph optionally substituted by halo, C1-4 alkyl, or C1-4 alkoxy]. The invention also concerns the therapeutic use of the compds., in particular as 5-HT antagonists, and as antidepressant drugs, or to treating **mnemic** disorders. Eighteen compds. were prepared as fumarate salts. For instance, etherification of 1-butyl-4-(hydroxymethyl)piperidine with 5-chloro-1,2,3,4-tetrahydrobenzo[h][1,6]naphthyridine using NaH in DMF

gave 14% title compound IV, isolated as the monofumarate salt. In the forced swimming test in mice, an assay for antidepressant activity, this salt at only 1 mg/kg (i.p.) showed an effect comparable to that of imipramine at 30 mg/kg. In the abdominal constriction test in mice, a bioassay for analgesic activity, the same salt at only 0.1 mg/kg (i.p.) gave analgesic activity comparable to aspirin at 15 mg/kg. Another invention compound showed an antagonist profile at 5-HT₄ receptors.

L1 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
AN 1977:118024 CAPLUS
DN 86:118024
TI Transmitter-dependent peptide synthesis in the central nervous system
AU Reichelt, K. L.; Edminson, P. D.
CS Dep. Neurochem., Univ. Psychiatr. Clin., Oslo, Norway
SO Advances in Biochemical Psychopharmacology (1976), 15(First Second Messengers - New Vistas), 211-23
CODEN: ABPYBL; ISSN: 0065-2229
DT Journal; General Review
LA English
AB A review with 52 refs., primarily on the biosynthesis of peptides by the central nervous system. The occurrence, action on individual nervous, **mnemonic** and behavioral effects, and catabolism of peptides in the central nervous system are also discussed.
AB A review with 52 refs., primarily on the biosynthesis of peptides by the central nervous system. The occurrence, action on individual nervous, **mnemonic** and behavioral effects, and catabolism of peptides in the central nervous system are also discussed.

L1 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
AN 1975:95779 CAPLUS
DN 82:95779
TI Morphological and biochemical basis of memory
AU Constantinidis, J.
CS Clin. Psychiatr., Univ. Geneve, Geneva, Switz.
SO Revue Medicale de Dijon (1974), 9(8), 412-13, 416-422, 424
CODEN: RMDJA9; ISSN: 0035-3647
DT Journal; General Review
LA French
AB A review with 75 refs. discussing neurotransmitters role in memory, long term memory and its cortical representation, the electrochem. of short term memory, a comparison of genetic and immunol. memories, and the morphol. structure of the **mnemonic** fixation at the level of the nerve cell.
AB A review with 75 refs. discussing neurotransmitters role in memory, long term memory and its cortical representation, the electrochem. of short term memory, a comparison of genetic and immunol. memories, and the morphol. structure of the **mnemonic** fixation at the level of the nerve cell.